	Application No.	Applicant(s)
Notice of Allowability	10/634,847	ONUMA ET AL.
	Examiner	Art Unit
	Thanh-Tam T. Le	2839
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to an amendment filed 11/12/07 and a phone interview on 12/26/07.		
2. The allowed claim(s) is/are <u>1-4 and 6-8</u> .		
 3.		
2. Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☑ Notice of References Cited (PTO-892)	5. ☐ Notice of Informal P	atent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🛛 Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Dat 7. ⊠ Examiner's Amendn	re nent/Comment
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit		ent of Reasons for Allowance
of Biological Material	9. 🗌 Other	

EXAMINER'S AMENDMENT

- 1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.
- 2. Authorization for this examiner's amendment was given in a telephone interview with John Bird (Reg. No. 46,027) on 12/26/07.
- 3. The application has been amended as follows:
- a. Claim 1, line 11, "." has been changed --;--;

New lines have been inserted after line 11 as follow:

-- wherein the electric wire comprises wire elements;

wherein the wire elements comprise a covered portion which is covered by an insulating sheath and an exposed portion which is exposed;

wherein when the electric wire is inserted into the insertion hole of the connecting member, the connecting member covers a portion of the exposed portion and a portion of the covered portion;

wherein when the electric wire is inserted into the insertion hole of the connecting member, the connecting member covers all of the exposed portion of the wire elements; and

'Application/Control Number:

10/634,847

Art Unit: 2839

Page 3

wherein the connecting member includes an open end into which the electric wire is inserted and a closed end opposite the open end. --

b. Claims 9-11 have been canceled.

Allowable Subject Matter

- 4. Claims 1-4 and 6-8 are allowed.
- 5. The following is an examiner's statement of reasons for allowance:
- 6. The claims are allowable over the prior art of record for at least the reason that the prior art fails to teach or suggest when the electric wire is inserted into the insertion hole of the connecting member, the connecting member covers all of the exposed portion of the wire elements; and the connecting member includes an open end into which the electric wire is inserted and a closed end opposite the open end, as set forth in the claimed combination.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thanh-Tam T. Le whose telephone number is 571-272-2094. The examiner can normally be reached on 7:30-5:00.

10/634,847

Art Unit: 2839

Page 4

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, TC Patel can be reached on 571-272-2098. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Thanh-Tam T. Le Primary Examiner Art Unit 2839

TL. 12/26/07.